

# Archgard

FIREPLACES

**HARMONIA**  
Direct Vent / Clean Face  
Electronic Ignition



Harmonia 22 with Small Flat Steel Front, Brushed Nickel Decorative Trim,  
& Quebec City Red Brick Set

## 2 HARMONIA (Har-MO-nee-ah)

The immortal Greek goddess of harmony and concord.

Harmonia presided over both marital harmony and the harmonious action of soldiers in war. Harmonia is described as having a heart that is completely pure, without bad thoughts whatsoever.

Archgard's Harmonia 22 is the first of the Harmonia line.

Named for the flames as they flicker and dance, the Harmonia 22 provides the ambiance to complete that natural gathering space for your friends and family, becoming the pure heart of your home.

People are drawn to the fire and captivated by its dance as they too find harmony, concord, and create memories that will last a lifetime.

The Harmonia 22 fireplace insert allows you to transform the smallest of openings and converts your old dirty and inefficient fireplace into the clean and efficient fireplace you've been seeking.



As shown:

Model Number: 22-DVIE22LN-1

Surround: 22-SKSBS (Surround Kit, Small, Black, Shallow)

Panel Set Option: 22-BRPL-QCG




## RADIANT HEAT VS CONVECTION HEAT

Radiant heat is the intentional transfer of radiant energy from your Archgard fireplace directly to objects and people within the room. Like the sun on a cool morning or sitting around a campfire, the surrounding temperature may be cool, but you are warm and comfortable because of the radiant heat that is transferred from the source directly to you.

Convection heat generates an air current to help heat the air in the room quicker and push heat out to fill even larger spaces. This process is improved by adding the optional efficient six speed heat distribution fan which is operated using your standard remote control.

Radiant heat is known to be more efficient than convection heat due to differences in the way each system heats your home.

The Harmonia 22 gives you the best of both heat types as all Archgard gas inserts are both radiant heaters AND convection heaters.



RADIANT HEAT

CONVECTION HEAT

For more information, pictures, and videos visit [archgard.com](http://archgard.com)



**22-SKSBS**

Small Flat Steel Front: 38.125"W x 24"H x 1"D



**22-SKLBS**

Large Flat Steel Front: 44.125"W x 26"H x 1"D



**22-SK4SBS**

4 sided Small Flat Steel Front: 38.125"W x 29"H x 1"D



**22-SK4LBS**

4 sided Large Flat Steel Front: 44.125"W x 35"H x 1"D




**22-SK4BLANK**

4 sided Blank Trimmable for inside fit: 47"W x 39"H


## DECORATIVE INSIDE TRIMS

One look doesn't necessarily fit all homes. Add nickel, gold, or black trims to personalize your fireplace and achieve that perfect look you've been seeking.

### DECORATIVE TRIM COLORS



**N** Nickel



**B** Black

Decorative Trim Dimensions	
3-sided	31.125" W x 19.5" H
4-sided	31.125" W x 22" H

## DECORATIVE PLINTHS

Add a decorative plinth to the base of your 22-DVIE22LN surround to custom fit those tricky raised installations.



Height options: 2", 4", 6"

Small	38.58" W x 1.25" D
Large	44.61" W x 1.25" D
<b>B</b>	Black






# Standard Features

	22-DVIE22LN-1
Valve Type	Electronic Ignition
Natural Gas / Propane	15,000 - 22,000 BTU/hr (4.4- 6.45 kW)
Efficiencies	Steady State: 70.01% P.4 Fireplace Efficiency: 67.21%
Ignition Type	Archgard's exclusive Dynamic Start Advantage spark-to-pilot ignition with continuous pilot on demand and battery backup**
Remote Control	Multi-function wall mountable remote control system including smart thermostat*
Convection Fan	Optional high efficiency six speed heat distribution fans and variable speed fan control available
Glass Type	Shatter-resistant ceramic glass
Viewing Area	23" W x 10.5" H 25.3" diagonal
Vent Size	Dual 3" (76mm) co-linear vents exit top of unit (Optional 2" Intake reducer kit available)
Burner Type	Panoramic wall to wall steel pan
Firebox Construction	Welded, double-seal rivet and gasket, silicone free Constructed of 16 and 18 gauge galvanized and aluminized coated steel for long life and durability
Warranty	Archgard's Worry-Free Elite Limited Lifetime
Dimensions	
Insert Dimensions	25.49" W x 17.98" H x 16.89" D*
Viewing Area	23" W x 10.5" H, 25.3" diagonal
Clearance to Combustibles	
Mantel Clearance	19" from top of door to the bottom of 12" mantel
Hearth Clearance	No clearance required
Surround Sidewall Clearance	7"

\* See the manual for more information. All inserts come standard with barrier screens which attach to the door with very little effort.


## PANEL SET OPTIONS



22 -BRPL-QCG /  
Brick Panel,  
Québec City Grey



22 -BRPL-QCR /  
Brick Panel,  
Québec City Red



22 -BRPL-RG /  
Eternal Flame Reflective  
Ceramic Glass


## LOGSET



310-6222 /  
High Definition Log Set



Scan here to see the  
flames in action!



### 22-DVIE22LN

Screen Flush:  
26.5"W x 18"H x 17.3"D  
  
Door Flush:  
25.92"W x 18"H x 16.6"D  
  
Minimum Depth:  
23.9"W x 18"H x 16.1"D

\* See the manual for more information and configuration options.

### YOUR FIREPLACE OPENING DIMENSIONS

Width:		Height:		Depth:	
--------	--	---------	--	--------	--

Find us on:



Facebook



YouTube



Instagram



100-3005 March 30, 2022

**California Proposition 65 Warning:** These products can expose you to chemicals including Carbon Monoxide, that is an externally vented by-product of fuel combustion, which is [are] known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, visit [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

