



Sereno
GAS FIREPLACES
Direct Vent / Zero Clearance



Sereno 37 with Lost Coast Black Panel Set, Weathered Wood Log Set, & Clear View Barrier Screen

CONTENTS



Sereno Series Gas Fireplaces	3
------------------------------	---

Products

Sereno 37	4
Sereno 41	6
IHEAT	8
Features	10
Technical Information	12
Decorative Fronts	13
The story of Archgard and the inspiration of heating	15



Sereno (Se-RE-no)

Mastery over fire is one of the great achievements of humanity. It has provided heat, light, protection, and enhanced nourishment.

Since the dawn of human kind, we have been drawn to fire and the comfort that fire delivers. We allow the fire's heat to envelope us as we stare into the dancing flames, and feel our worries to melt away.

What remains is "Sereno", the serene.



"The status of the fireplace has changed over time. It is no longer just a source of heat, but rather a central part of our homes. Our fireplaces have been designed with clean lines, focusing attention on the flames. With our wide product range and the potential to adapt to meet personal tastes, there is something here for everyone."

- Bill Waterstradt, Owner, Archgard Fireplaces.

Sereno 37

Specifications	
Model Number	37-DVTE36LN-2
Input Rating	
Natural Gas	20,000 - 36,500 BTU/h 5.86 - 10.7 kWh
Propane	19,000 - 36,500 BTU/h 5.57 - 10.7 kWh
Efficiencies	
Steady State Efficiency	75.19%
P.4 Fireplace Efficiency	69.83%
Mantel Clearance (without IHEAT)	
8" (20.32 cm) mantle at minimum 23.125" (58.74 cm) from the top of the fireplace opening*.	

* See the installation, operation, and maintenance manual for additional mantel options.

* See the IHEAT manual for mantel clearance changes when using IHEAT

PANEL SET OPTIONS



37-BRPL-QCG
Brick Panel,
Québec City Grey




37-BRPL-QCR
Brick Panel,
Québec City Red



37-BRPL-ALG
Brick Panel, Appalachian
Ledge Stone Grey



37-BRPL-RG
Eternal Flame Reflective
Ceramic Glass



37-BRPL-LCB
Brick Panel,
Lost Coast Black

FLAME VIDEOS



with Grand Timber
Log Set



with Weathered Wood
Log Set

Use a mobile device to scan the QR code above.

For more information, pictures, and videos visit archgard.com



Archgard's mid-sized clean faced direct vent fireplace, the Sereno 37 is perfect for medium sized installations.

With many versatile styling options, the Sereno 37 will become the centerpiece of any home, whether you prefer rugged and traditional, or lean toward a more contemporary look. Fill the firebox with a high definition grand timber or weathered wood log set and finish with one of five premium interior panel sets to create the new gathering place for your home.



37-LS-WW2
Weathered Wood Log Set









37-LS-GT2
Grand Timber Log Set



Sereno 37 shown with Appalachian Ledgestone Grey Panel Set, Grand Timber Log Set, & Arched Hemlock Valley Doors.

FIREPLACE DIMENSIONS



For more dimensions and installation information see the installation, operation, and maintenance manual.

Sereno 41

Specifications	
Model Number	41-DVTE41LN-2
Input Rating	
Natural Gas	22,000-41,000 BTU/hr 6.45-12.02 kW/hr
Propane	19,000-41,000 BTU/hr 5.56-12.02 kW/hr
Efficiencies	
Steady State Efficiency	76.15%
P.4 Fireplace Efficiency	70.08%
Mantel Clearance (without IHEAT)	
8" (20.32 cm) mantle at minimum 21" (53.3 cm) from the top of the fireplace opening*.	

*See the installation, operation, and maintenance manual for additional mantel options.

*See the IHEAT manual for mantel clearance changes when using IHEAT

PANEL SET OPTIONS




41-BRPL-QCG
Brick Panel,
Québec City Grey



41-BRPL-QCR
Brick Panel,
Québec City Red



41-BRPL-ALG
Brick Panel, Appalachian
Ledge Stone Grey



41-BRPL-RG
Eternal Flame Reflective
Ceramic Glass



41-BRPL-LCB
Brick Panel,
Lost Coast Black

FLAME VIDEOS



with Grand Timber
Log Set



with Weathered Wood
Log Set

Use a mobile device to scan the QR code above.

For more information, pictures, and videos visit archgard.com



Archgard's Sereno 41 is accompanied by the same versatile styling options as the Sereno 37 but designed to accommodate larger settings. Finish your fireplace with the classic Quebec City Red panel set for that traditional old-world charm, or choose an alternative traditional look with the Quebec City grey panel set modeled on brickwork found in La Citadelle de Quebec; add a rugged touch with the Appalachian Ledgestone Grey panel set reminiscent of the jagged hills within the Appalachian mountains, or get lost as the flames dance across the dark sandy waves of the Lost Coast Black panel set; or, watch the flames multiply with the Eternal Flame reflective ceramic glass panel set.




41-LS-WW2
Weathered Wood Log Set




41-LS-GT2
Grand Timber Log Set




FIREPLACE DIMENSIONS




Front



Left Side




Top



Right Side

FRAMING DIMENSIONS



For more dimensions and installation information see the installation, operation, and maintenance manual.

IHEAT

SPECIFICATIONS

Technical Specifications	
Average Air Flow	100 CFM
Maximum Temperature Output	200°F (93°C)
Maximum Duct Length	30' (914.4 cm)

Kits Available	
for use with Sereno 41:	
999-IHT-540	40" Long Discharge System with 5" Collars
999-IHT-51212	Two 12" x 6" Discharge System with 5" Collars
999-IHT-54012	One 40" Long Discharge and one 12" x 6" Discharge System with 5" Collars
for use with Sereno 37:	
999-IHT-440	40" Long Discharge System with 4" Collars
999-IHT-41212	Two 12" x 6" Discharge System with 4" Collars
999-IHT-44012	One 40" Long Discharge and one 12" x 6" Discharge System with 4" Collars

*multiple accessories are available to facilitate an easy installation, please see your local Archgard dealer.

BEZEL OPTIONS



999-IHT-12B2B
12" Slotted Bezel,
Satin Black



999-IHT-40B1B
40" Clean Design,
Satin Black



999-IHT-12B2W
12" Slotted Bezel,
White



999-IHT-40B1W
40" Clean Design,
White

Note: You may paint the bezels to match any decor using your preferred high temperature paint.




Intelligent Heat Exchange and Air Transfer (IHEAT)

This system allows you to transfer the convection heat from your Sereno series fireplace to where you want it the most; whether within the room, an adjoining room, or the room above.



Sereno 41 Shown with Lost Coast Black Panel Set, Grand Timber Log Set, Hemlock Valley Doors, & I.H.E.A.T 40" White.



999-IHT-44012 /
999-IHT-54012

Benefits of IHEAT:

- Allows heat sensitive objects such as a television or artwork to be installed above the fireplace
- Allows for a lower combustible mantel
- Enables the transfer heat to other rooms or even levels of your home with a maximum duct length of 30 feet
- Multiple possible configurations
- Does not require power or special fans to operate
- Adjustable for variable wall thicknesses or finishes



999-IHT-440 /
999-IHT-540


The IHEAT Difference

I.H.E.A.T gives you the power to choose how you'd like to heat your home. This Intelligent Heat Exchange and Air Transfer system gives you the ability to transfer the heat from the fireplace away from the fireplace opening to the location of your choosing. Not only does this allow you to direct heat to where you need it most, but it allows even more options for customizing your space.

With IHEAT

Cooler room air enters the fireplace and is warmed by the panoramic wall-to-wall flame. The warm air travels around the firebox and through the ducting to the discharge head(s), directing the warm air to wherever you need it most.

The air immediately above the fireplace opening is cooler, allowing heat sensitive objects to be mounted over the fireplace.*



Without IHEAT

Cooler room air enters the fireplace and is warmed by the panoramic wall-to-wall flame. The warm air travels around the firebox and out of the top of the fireplace to heat the room.

The air immediately above the fireplace opening is warmer and a little more clearance to combustible material is needed.



*See the IHEAT and fireplace Installation, Operation, and Maintenance manuals for installation information including framing and required clearances.


RADIANT HEAT VS CONVECTION HEAT

Radiant heat is the intentional transfer of radiant energy from your Archgard fireplace directly to objects and people within the room. Like the sun on a cool morning or sitting around a campfire, the surrounding temperature may be cool, but you are warm and comfortable because of the radiant heat that is transferred from the source directly to you.

Convection heat generates an air current to help heat the air in the room quicker and push heat out to fill even larger spaces. This process is improved by using the standard efficient six speed heat distribution fan* which is operated using your standard remote control.

Radiant heat is known to be more efficient than convection heat due to differences in the way each system heats your home.

Archgard gas fireplaces give you the best of both heat types as all Archgard gas fireplaces are both radiant heaters AND convection heaters.



RADIANT HEAT

CONVECTION HEAT

DIRECT VENT TECHNOLOGY

All Archgard gas fireplaces use efficient direct vent technology. A direct vent fireplace draws the cooler outside air into the air intake to be used for combustion. The cool air is preheated as it travels down the air intake vent by the warmer exhaust air that is traveling up the inner exhaust vent. This reduces the amount of energy required to heat the combustion air and the amount of energy lost by the exhaust.

The combustion air is mixed with gas and used to create Archgard's panoramic wall-to-wall flame and to heat your home. The byproduct of combustion becomes the exhaust air which begins the cycle again.

WORLD'S FIRST DYNAMIC START ADVANTAGE

Our engineers teamed up with the industry's lead electronics producer to develop the all new Dynamic Start Advantage control system. The new control is absolutely the most reliable, user friendly, and safest start system ever produced.



This system will start the fire slowly and build it up after a draft has been established. This process helps ensure a more reliable start, reduces any condensation on the glass door, and helps to reduce the fatigue and stress to the fireplace caused by the rapid expansion of heating metal.

CONTINUOUS PILOT ON DEMAND

Archgard's efficient gas fireplaces are designed to help save the environment while saving you money! The Continuous Pilot On Demand ignition system is a feature that offers peace of mind while saving energy by turning the pilot off after seven continuous days without use.



This system allows you to live your life without consideration for whether you've left the pilot on or not. Whether you've gone on vacation or it's those warm summer days, the pilot will automatically turn off until you need it. Simply turn on the fireplace to start the seven day timer again.

Standard Features

	Sereno 41	Sereno 37
Ignition Type	Archgard's exclusive Dynamic Start Advantage spark-to-pilot ignition with continuous pilot on demand and battery backup	
Remote control	Multi-function remote control system including smart thermostat	
Convection fan	High efficiency six speed heat distribution fans with variable speed fan control included	
Adjustable lighting	Choose from six levels of accent lighting	
Viewing area	33 3/8" W x 24" H	30 1/8" W x 21 1/2" H
Heating Type	Convection and Radiant with IHEAT compatibility	
Propane conversion kit	Optional	
Warranty	Archgard's Worry-Free Elite Limited Lifetime	
Solid construction	These fireplaces are constructed of 16 and 18 gauge galvanized and aluminized coated steel for long life and durability	
Premium Finish	The Sereno Series are finished with a premium satin black paint, adding texture and definition	
Vent exit location	Top exit	
Easy Installation	The only fireplace in its class engineered to use standard building materials and building practices - installation does not require metal studs or cement board.	
Serviceability	Up Front serviceability - controls are located at the front of the fireplace for quick and easy access.	
Efficiency	This fireplace has one of the highest efficiencies of any Direct Vent gas fireplace heaters, ensuring it is less expensive to operate.	
Multiple Barrier Options	Choose between the Clear View Barrier Screen, Hemlock Valley Doors, Wrought Iron front, or one of four Grandview Park fronts.*	

*A safety barrier must be installed.

For more dimensions and installation information see the installation, operation, and maintenance manual.

WALL MOUNTABLE REMOTE CONTROL



The wall mountable remote comes standard with all Archgard electronic ignition gas fireplaces and is used to control all aspects of your fireplace.

This adaptable remote includes a mounting bracket which allows the remote to be mounted at the location of your choosing and removed for the convenience of hand-held use.

Archgard gas fireplaces are one of the most advanced direct vent heaters available today. It is solidly designed using the latest technology and manufactured to the highest quality. It is our aim to provide you with an appliance that brings many trouble-free years of reliable service. Archgard fireplaces are designed to be the focus of any home no matter your decorative style preferences. These efficient clean faced fireplaces can be finished up to the massive viewing area using the noncombustible material of your choice.

Find us on:



Facebook



YouTube



Instagram

For more information, pictures, and videos visit archgard.com

HEMLOCK VALLEY DOORS



Door Arch, Hemlock Valley, Black

Dimensions	
37-DAHVB	41-DAHVB
32 1/4" H x 39 3/4" W	35 1/8" H x 42 3/4" W



Door Square, Hemlock Valley, Black

Dimensions	
37-DSHVB	41-DSHVB
30" H x 39 3/4" W	32 1/2" H x 42 3/4" W

WROUGHT IRON FRONTS



Wrought Iron Front, Arched, Mission Hills, Black

Dimensions	
37-WIFASDB	41-WIFASDB
32 1/4" H x 39 3/4" W	35 1/8" H x 42 3/4" W



Wrought Iron Front, Square, Mission Hills, Black

Dimensions	
37-WIFSSDB	41-WIFSSDB
30" H x 39 3/4" W	32 1/2" H x 42 3/4" W

GRANDVIEW PARK FRONTS



Grandview Park Front, Satin Black

Dimensions	
37-FSGPB	41-FSGPB
28" H x 34 1/3" W	30 1/3" H x 37 1/3" W



Grandview Park Front, Brushed Copper

Dimensions	
37-FSGPBC	41-FSGPBC
28" H x 34 1/3" W	30 1/3" H x 37 1/3" W



Grandview Park Front, Brushed Nickel

Dimensions	
37-FSGPBN	41-FSGPBN
28" H x 34 1/3" W	30 1/3" H x 37 1/3" W



Grandview Park Front, Smoked Chrome

Dimensions	
37-FSGPSC	41-FSGPSC
28" H x 34 1/3" W	30 1/3" H x 37 1/3" W

CLEAR VIEW BARRIER SCREEN



Clear View Barrier Screen

Dimensions	
37-BS	41-BS
26 7/16" H x 32 13/16" W	28 13/16" H x 35 13/16" W

The Story of Archgard

We take great pride in producing a fireplace that exceeds our customers' expectations. We believe that quality people produce quality products, and it is the quality craftsmanship that goes into each Archgard product that allows us to offer our elite Limited Lifetime Warranty. The fireplace has taken its place as a design element in our customers' homes. From our premium panoramic wall to wall flame to our range of aesthetic decorative fronts, we provide the perfect fireplace experience. When you purchase an Archgard fireplace you can count on uncompromising Quality, meticulous Design, and the Dependability to keep you and your home warm for years to come.

All Archgard fireplaces are manufactured in North America with the highest standard of workmanship. We are committed to supporting our economy and ensuring our customers receive the high-quality products they expect and deserve. As a privately owned company with over two decades of experience, Archgard has the ability to commit to ongoing research and development of new and innovative products. We are not interested in rushing a product to market unless we are fully satisfied that it meets our high standards. As a privately owned company, we enjoy the benefit of making the right long-term decisions for both our company and our customers.

DRIVE


Passion has been the drive behind every fireplace Archgard has built since it was established over 30 years ago. Quality, modern technology, and design has been our recipe for success. Quality was our promise then, and quality is our promise today.

Our fireplaces combine classic traditions with modern functionality. We create products that give you the same feeling you get while sitting in front of a traditional wood burning fireplace yet satisfies even the most stringent demands for clean combustion. This all leads to the Archgard experience: enjoy your unparalleled flame with a clear conscience.

INSPIRATION


Fire has played a vital role throughout history, ensuring our survival. The fireplace has always held a special place in the hearts and homes in North America. It is the focal point of the home and provides the heat, light, and security we all need – especially during those cold winters and long nights with heavy snowfall and icy winds.


It's really quite amazing to sit and stare at a fire... it can take you into another world, allow you to relax, forget about what happened during the day, feel the warmth, feel the fire, see the light... #passionforthefire.



Sereno 41 Shown with
Grand Timber Log Set & Clear View Barrier Screen.

California Proposition 65 Warning: These products can expose you to chemicals including Carbon Monoxide, that is an externally vented by-product of fuel combustion, which is [are] known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.





Part # 100-3090

October 2023



Archgard Fireplace Products
7116 Beatty Drive Mission BC V2V 6B4
archgard.com