

OPTIMA 34

Model Number: 34-DVI34N-2

Fireplace Insert Dimensions:

 $25-5/8"(651 \text{ mm}) \text{ W} \times 19-7/8" (505 \text{ mm}) \text{ H} \times 14-1/8"(359 \text{ mm}) \text{ D}^*$

Viewing Area: 26" W x 12.5" H

Specifications		
Input Rating		
Natural Gas	23,000-34,000 BTU/hr 6.6-9.8 kW/hr	
Propane	26,000-34,000 BTU/hr 7.5-9.8 kW/hr	
Efficiencies		
Steady State	65.20%	
P.4 Fireplace Efficiency	52.23%	
Clearances		
Mantle Clearance	37" from bottom of unit to bottom of 6" mantle	

PANEL SET OPTIONS




34-BRPL-QCG /Brick Panel,
Québec City Grey



34-BRPL-QCR / Brick Panel, Québec City Red



34-BRPL-RG / Eternal Flame Reflective Ceramic Glass



^{*} See the manual for more information.



An Archgard gas insert is the optimal combination of elegance and efficiency. Whether renovating your living room, or perking up a non-traditional location, you can customize your Archgard insert to become the focal point of any room while reducing your heating bill by up to 35%.

^{**} All inserts come standard with barrier screens which attach to the door with very little effort.



Insert name: OPTIMA 34 Surround: 34-SKSB (Surround Kit, Small Black) Panel Set: 34-BRPL-QCG (Québec City Grey)



4 MILLIVOLT SURROUNDS





Flat Steel Surrounds	Small Surround SKSB	Large Surround SKLB
Dimensions	41-1/2″W X 27-9/16″H	47-1/8"W X 30-9/16"H
Colors	B Black	




4 sided Surround	SK4SB
Dimensions	41-1/2″W X 33-7/8″H
Colors	B Black

TYPES OF LOUVERS



Louver kit, Brushed Nickel



Louver kit, Brushed Nickel



Louver kit, 24K Gold Plated



Louver kit, Alternating Brushed Nickel & Black.



Louver kit, Alternating 24K Gold Plated & Black





Square Fronts	Harrison Mills Square Door SDSHMB	Forged Iron Front Square FIFSB / FIFSP
Dimensions	42-1/8″W x 27-7/8″H	
Colors	B Black	B Black P Pewter







Arched Fronts	Forged Iron Front Arch FIFAB / FIFAP	Wrought Iron Front Arch WIFASDB / WIFASDP
Dimensions	42-3/8" W x 29-7/8"H (26-7/8" H to shoulder)	
Colors	B Black	P Pewter

Bow Fronts (not shown)	Forged Iron Front Square, Bow Pewter FIFSBOWSDP/FIFSBOWSDB	
Dimensions	42-1/8"W x 27-7/8"H	
Colors	B Black P Pewter	

*When installing a Forged Iron or Wrought Iron Front to an insert you must allow an extra 2" in height, 5" in width and 2 1/2" in depth.


TECHNICAL DIMENSIONS






Α	25-5/8"	651mm
В	16"	406mm
C	14"	356mm
D	14-1/8"	359mm
Е	1-1/4"	32mm
F	3-3/4"	93mm
G	19-7/8"	505mm

MINIMUM FIREPLACE OPENING



VENTING







^{**}All inserts come standard with barrier screens which attach to the door with very little effort.



THE STORY OF ARCHGARD AND THE INSPIRATION OF HEATING

INSPIRATION

Fire has played a vital role throughout history, ensuring our survival. The fireplace has always held a special place in the hearts and homes in North America. It is the focal point of the home and provides the heat, light, and security we all need – especially during those cold winters and long nights with heavy snowfall and icy winds.

DRIVE

Passion has been the drive behind every fireplace Archgard has built since it was established over 30 years ago. Quality, modern technology, and design has been our recipe for success. Quality was our promise then, and quality is our promise today. Our fireplaces combine old traditions with modern functionality. We create products that give you the same feeling you get while sitting in front of a traditional wood burning fireplace yet satisfies even the most stringent demands for clean combustion. This all leads to the Archgard experience: enjoy your unparalleled flame with a clear conscience.



AND SO MUCH MORE....

The fireplace is no longer simply a source for heat but rather a central part of our homes. Our fireplaces are designed with clean lines and a focus on providing a perfect flame. We offer a wide range of products and accessories to meet any personal tastes. The result of our endeavors are timeless classics that form a natural gathering point in modern homes.

